

SOURCEWELL CATALOG EQUIPMENT YOU DEPEND ON



Awarded Contract

Contract #060920-CER

SOURCEWELL LANDING PAGE

PRODUCTLINE







CONTACT AREA REPRESENTATION

Primary Contact: US & Canada Contact: Steve Buckner Phone: (209) 402-7779 Email: sbucknerjr@west-mark.com

Alternate Contact: US Contact: Laurie Warner Phone: (209) 672-0004 Email: Iwarner@west-mark.com



Awarded Contract

Contract #060920-CER

PURCHASING POSSIBILITIES WITH SOURCEWELL

Chassis only	West-Mark offers quality American Made Chassis to purchase and use how you see fit.		
Body kit only	West-Mark builds quality and we offer a line of body kits engineered to fit customer supplied chassis.		
Turn Key unit	West-Mark offers a line of commercial turn key units. Take out all the guess work and let us design and engineer a custom or stock unit ready to use when you get the keys.		

TERMINOLOGY

Class	Chassis	Body Kit	Turn Key
 Combined weight of chassis and body Classes 4—8 	 Motorized portion to include cab, engine, axles, bare frame 	• A kit solution that can be mounted on customer supplied chassis classes 48	• A complete vehicle solution with chassis, body, components based on classes 48

CHASSIS OFFERED BY CLASS						
CLASS 4 (14к-16к)	CLASS 5 (16К-19.5К)	CLASS 6 (19.5к-26к)	CLASS 7 (26к-33к)	CLASS 8 (33K+)		
•RAM	•RAM •FORD	•FREIGHTLINER •KENWORTH	•FREIGHTLINER •KENWORTH •WESTERNSTAR	•FREIGHTLINER •PETERBILT •WESTERNSTAR		

CLASS BODY KITS AND TURN KEY OPTIONS

CLASS 4	CLASS 5	CLASS 6	CLASS 7	CLASS 8
• POTABLE WATER • FUEL	 POTABLE WATER FUEL SERVICE BODY 	 POTABLE WATER DUST CONTROL FUEL SERVICE 	 POTABLE WATER DUST CONTROL FUEL SERVICE VACUUM LUBE SERVICE 	 POTABLE WATER DUST CONTROL FUEL VACUUM DUMP TRUCK LUBE TRUCK

CLASS 4 POTABLE WATER TRUCK

- 500 GL Stainless Steel tank
- Spring tank mounting
- Manhole 20"
- Screened venting
- 3" rear outlet plumbing
- Optional pumping system
- Customizable to suit need

CLASS 4 FUEL TRUCK

- 500 GL Stainless Steel / Aluminum tank
- Spring tank mounting
- Non-spec and DOT-406
- Pumping system
- Cabinets upon request
- Customizable to suit need

CLASS 5 POTABLE WATER TRUCK

- 1,000 GL Stainless steel tank
- Fully baffled
- Spring tank mounting
- Manhole 20"
- Screened venting
- 3" rear outlet plumbing
- Customizable to suit need

MODEL: POTWATERTT

* Photos may depict vehicles that do not represent base model*





MODEL: FUELTT-EQ2



MODEL: POTWATERTT

CLASS 5 FUEL TRUCK

- 1,000 GL Stainless Steel / Aluminum tank
- Fully baffled
- Spring tank mounting
- Non-spec and DOT-406
- Pumping system
- Cabinet upon request
- Customizable to suit need

MODEL: FUELTT-EQ2



MODEL: 2244-OPT-2

CLASS 5 SERVICE TRUCK

- Optional crane
- Work bench with safety walk
- Various cabinet configurations
- J-Hook bolts shelf rail
- Work lights
- Customizable to suit need

CLASS 6 POTABLE WATER TRUCK

- 1,500 GL Stainless Steel tank
- Fully baffled
- Spring tank mounting
- Manhole 20"
- Screened venting
- 3" rear outlet plumbing
- Customizable to suit need



MODEL: POTWTRTT





MODEL: WATER2ATTC

CLASS 6 DUST CONTROL TRUCK

- 1,500 GL Carbon/ Stainless Steel tank
- Fully baffled
- 24" manway
- 750 GPM pump
- Spray heads, (2) front, (2) rear
- Customizable to suit need

CLASS 6 FUEL TRUCK

- 1,200 GL Stainless Steel / Aluminum tank
- Fully baffled
- Spring tank mounting
- Non-spec and DOT-406 / 407
- Pumping system
- Cabinets upon request
- Customizable to suit need



MODEL: POTWTRTT

CLASS 6 SERVICE BODY

- Optional crane
- Work bench with safety walk
- Various cabinet configurations
- J-Hook bolts shelf rail
- Work lights
- Customizable to suit need



MODEL: 2452-OPT-9/10





MODEL: POTWTRTT

CLASS 7 POTABLE WATER TRUCK

- 2,000 GL Stainless Steel tank
- Fully baffled
- Spring mounting
- Manhole 20"
- Screened Venting
- 3" rear outlet plumbing
- Customizable to suit need



MODEL: WATER2ATTC

NO SMOKING WITHIN 50 FFFT

DIESEL FUEL

CLASS 7 DUST CONTROL TRUCK

- 2,000 GL Carbon / Stainless Steel tank
- Spring tank mounting
- Fully baffled
- 24" manway
- 750 GPM pump
- Spray heads, (2) front, (2) rear
- Customizable to suit need



- 2000 GL Stainless Steel / Aluminum tank
- Fully baffled
- Spring tank mounting
- Non-spec / DOT-406 / 407
- Pumping system
- Cabinet options available
- Customizable to suit need





CLASS 7 VACUUM TRUCK



- 1,500 GL Carbon / Stainless / Aluminum Tank
- Spring tank Mounted
- 400 CFM vacuum pump
- Hose storage
- Outlet, 4" at rear
- Customizable to suit need

MODEL: VACTRUCK2



MODEL: LUBETRK-3A

CLASS 7 LUBE TRUCK

- Diesel tank 500 GL
- Waste Oil tank(s)
- Anti Freeze/ Water tank(s)
- Lube tank(s)
- Compressor 37 CFM at 100 PSI
- Customizable to suit need



MODEL: DUMPTRUCK3

* Photos may depict vehicles that do not represent base model*



CLASS 7 DUMP TRUCK

- 8/10 YD body AR400
- Dump angle 45 deg.
- Air-latch tailgate
- ½" cab guard
- Spreader apron
- Customizable to suit need



CLASS 7 SERVICE TRUCK

- Optional crane
- Work bench with safety walk
- Various cabinet configurations
- J-Hook bolts shelf rail
- Work lights
- Customizable to suit need

MODEL: 2460-OPT11



MODEL: POTWTRTT

A

CLASS 8 POTABLE WATER TRUCK

- 2,000 GL Stainless Steel tank
- Spring tank mounting
- Manhole 20"
- Screened venting
- 3" rear outlet plumbing
- Available pumping system
- Customizable to suit need

CLASS 8 DUST CONTROL TRUCK

- 4,000 GL Carbon / Stainless Steel Tank
- Fully baffled
- 24" manway
- 750 GPM @ 70 psi pump
- Spray heads, (2) front, (2) rear
- Customizable to suit need

MODEL: WATER3ATTC



CLASS 8 FUEL TRUCK



• 2800-4,000 GL Stainless Steel / Aluminum tank

- Spring tank mounting
- Fully baffled
- Non-spec / DOT-406/ 407
- Pumping system
- Cabinets upon request
- Customizable to suit need

MODEL: FUELTT-EQ3

CLASS 8 VACUUM TRUCK

• 3000 GL ¼ Carbon / Stainless / Aluminum tank

- Spring tank mounting
- Vacuum loading
- Hose storage
- Outlet, 4" at rear
- Customizable to suit need

MODEL: VACTRUCK3

CLASS 8 LUBE TRUCK

- Various cabinet configurations
- Diesel tank 500 GL
- Waste Oil tank(s)
- Anti Freeze/ Water (s)
- Lube tank(s)
- Compressor for on board air
- Customizable to suit need

MODEL: LUBETRK-3A







CLASS 8 DUMP TRUCK

- 12/15 YD body AR400
- Dump angle 45 deg.
- Air-latch tailgate
- ½" cab guard
- Spreader apron
- Customizable to suit need

MODEL: DUMPTRUCK3

SPECIALTY VACUUM UNITS BELOW (Class 6-8)



MODEL: WMX8VAC

Hydro Excavator Truck 8 YD

- 570 GL Fresh Water
- 4,000 CFM 27" Hg
- High Performance Blower
- Boom 360 deg. rotation
- Water pump 20 GPM at 2,500 PSI
- Customizable to suit need



MODEL: WMX12VAC

* Photos may depict that do not represent base model*



Hydro Excavator Truck 12 YD

- 1,140 GL Fresh Water
- 5,250 CFM 27" Hg
- Dual cyclonic separators
- Boom 360 deg. rotation
- Water pump 20 GPM at 3,000 PSI
- Rear-mounted sludge pump
- Customizable to suit need



MODEL: WMX13VAC

Hydro Excavator Truck 13 YD

- 1,100 GL Fresh Water
- 5,800 CFM 27" Hg
- Dual cyclonic separators
- Boom 360 deg. rotation
- Water pump 20 GPM at 2,500 PSI
- 24,500 lb payload capacity
- Customizable to suit need

Hydro Excavator Truck 15 YD

- 1,425 GL Fresh Water
- 5,250 CFM 27" Hg vacuum blower
- Heated enclosure for equipment
- Boom 360 deg. rotation
- Water pump 20 GPM at 2,500 PSI
- 700,000 BTU Boiler
- Customizable to suit need



MODEL: WMX15VAC



MODEL: WMB10

* Photos may depict that do not represent base model*



Combo Vac Truck 10 YD

- 1,150 GL Fresh Water
- Reel rear mounted 180 deg. rotation
- Top mounted boom
- Horizontal transfer case
- Blower 27" Hg
- Water pump 150 GPM
- Customizable to suit need

Combo Vac Truck 10 YD (B-Series)

- 1,450 GL Fresh Water
- Reel rear mounted 180 deg. rotation
- Top mounted boom
- Horizontal transfer case
- Blower 27" Hg
- Water pump 150 GPM
- Customizable to suit need

MODEL: WMB10-1450

Combo Vac Truck 12 YD (B-Series)

- 1,100 GL Fresh Water
- Reel rear mounted 180 deg. rotation
- Top mounted boom
- Horizontal transfer case
- Blower 27" Hg
- Water pump 150 GPM
- Customizable to suit need

MODEL: WMB12

Combo Vac Truck 15 YD (B-Series)

- 1,650 GL Fresh Water
- Reel rear mounted 180 deg. rotation
- Top mounted boom
- Horizontal transfer case
- Blower 27" Hg
- Water pump 150 GPM
- Customizable to suit need

MODEL: WMB15









Combo Vac Truck 6 YD (B-Series)

- 570 GL Fresh Water
- Reel rear mounted 180 deg. rotation
- Top mounted boom
- Horizontal transfer case
- Blower 27" Hg
- Water pump 150 GPM
- Customizable to suit need

MODEL: WMB6

Combo Vac Truck 6 YD (B-Series)

- 870 GL Fresh Water
- Reel rear mounted 180 deg. rotation
- Top mounted boom
- Horizontal transfer case
- Blower 27" Hg
- Water pump 150 GPM
- Customizable to suit need



Catch Basin Truck 10 YD

- 1,150 GL Fresh Water
- Reel rear mounted 180 deg. rotation
- Top mounted boom
- Horizontal transfer case
- Blower 27" Hg
- Water pump 150 GPM
- Customizable to suit need

MODEL: WMBC10

* Photos may depict that do not represent base model*





MODEL: WMB6/800



Catch Basin Truck 15 YD

- 1,150 GL Fresh Water
- Reel rear mounted 180 deg. rotation
- Top mounted boom
- Horizontal transfer case
- Blower 27" Hg
- Water pump 150 GPM
- Customizable to suit need

MODEL: WMCB15

Combo Vac Truck 10 YD (F-Series)

- 1,150 GL Fresh Water
- Reel front mounted 180 deg. rotation
- Top mounted boom
- Horizontal transfer case
- Blower 27" Hg
- Water pump 150 GPM
- Customizable to suit need



MODEL: WMF10

Combo Vac Truck 10 YD (F-Series)

- 1,150 GL Fresh Water
- Reel front mounted 180 deg. rotation
- Top mounted boom
- Horizontal transfer case
- Blower 27" Hg
- Water pump 150 GPM
- Customizable to suit need

MODEL: WMF10-1450





TAUO

MODEL: WMF12/1300

Combo Vac Truck 12 YD (F-Series)

- 1,300 GL Fresh Water
- 27" Hg vacuum blower
- Enclosure for equipment
- Boom 360 deg. rotation
- Reel front mounted hose reel
- Horizontal transfer case drive system
- Customizable to suit need

MODEL: WMF15/1650

Combo Vac Truck 15 YD (F-Series)

- 1,650 GL Fresh Water
- 27" Hg vacuum blower
- Enclosure for equipment
- Boom 360 deg. rotation
- Reel front mounted hose reel
- Horizontal transfer case drive system
- Customizable to suit need



MODEL: WMGUARD

* Photos may depict that do not represent base model*



Combo Vac Truck 10 YD

- 1,100 GL Fresh Water
- 5,800 CFM 27" Hg vacuum blower
- Enclosure for equipment
- Boom 360 deg. rotation
- Reel front mounted hose reel
- Horizontal transfer case drive system
- Customizable to suit need





MODEL: WMUTILITY

Combo Vac Truck 10 YD

- 1,150 GL Fresh Water
- 3,700 CFM 18" Hg
- Boom 360 deg. rotation
- Rear mounted hose reel
- 180 deg. Rotational hose reel
- Reel hydraulic reel
- Customizable to suit need



MODEL: WM7018T

Sewer Jetter Truck

- Polyethylene tank
- Shrouded compartment engine/ pump
- 74 HP Diesel engine
- Pump 18 GPM at 4000 PSI
- Hose Reel 190 deg rotation
- Cabinet frame mounted
- Customizable to suit need



MODEL: WM7030T

* Photos may depict that do not represent base model*



Sewer Jetter Truck

- Polyethylene tank
- Shrouded compartment engine/ pump
- 74 HP Diesel engine
- Pump 30 GPM at 3000 PSI
- Hose Reel 190 deg rotation
- Cabinet frame mounted
- Customizable to suit need





Awarded Contract

Contract #060920-CER