

# STOCK # M41742

## 2000 GL Carbon Steel Dust Control Truck (4x2)



P.O.BOX 100  
CERES, CA 95307  
[www.west-mark.com](http://www.west-mark.com)

PHONE: (209) 537-4747  
TOLL FREE: (800) 692-5844  
FAX: (209) 537-1753

### GENERAL

The following equipment shall be a new dust control tank truck.

PRODUCT: Non-potable water.

PRODUCT WEIGHT: 8.35 lbs./gallon.

VESSEL CODE: Non-Spec.

TANK OPERATING PRESSURE: Atmosphere.

TANK OPERATING TEMPERATURE: 125° F maximum

INTENDED AREA OF OPERATION: 50 States.

INTENDED USE: Highway and Off-Road Construction Sites.

### CHASSIS

New Freightliner model M2 106 conventional cab, 2-door chassis:

BRAKES: Air type  
DRIVE: 4 X 2  
GVWR: 26,000 lbs  
Front Axle: 10,000 lbs Capacity  
Rear Axle: 23,000 lbs Capacity, Spring Suspension  
Engine: Cummins ISB 250 HP and 660 lb/ft torque; CARB Compliant  
Transmission: Allison 2500 RDS automatic

- Cab color to be White
- Maintenance free batteries
- Remote mounted positive & negative posts for jumpstart
- Vertical tailpipe mounted at RH side
- Coolant rated to -34F
- Engine block heater
- Front tow hooks, eye(s), or pin (application varies based GVWR)
- LH and RH grab handles
- Air horn
- Electric horn(s)
- Daytime running lights
- LH and RH convex mirrors mounted under primary mirrors
- Heater, defroster, and air conditioner
- One (1) each 12V power supply in dash
- Speedometer/Odometer capable of displaying in both miles and kilometer, with trip and hour meter.
- Adjustable tilt and telescoping steering column
- Back-up alarm
- AM/FM/WB radio with Bluetooth and Auxiliary inputs
- Fuel capacity 50 gallons
- Cab suspension - Air Ride
- Air driver and fixed passenger seats
- Heated mirrors (flat and convex)

# STOCK # M41742

## 2000 GL Carbon Steel Dust Control Truck (4x2)

- Heated fuel/water separator
- Traction tires on rear axle
- Steel wheels
- Towing extended/roadside service warranty, 1 year/unlimited miles/km, \$1200 cap

### **BODY**

- 2,000 Gallon Non-Potable water painted steel tank made of 3/16" A36.
- Heads, 3/16" A36
- Baffle(s) 3/16" A36.
- U-shaped subframe.
- Belly Plate, 1/4" full length.
- Rubber pads between tank and frame.
- Tank Mounts, four (4) solid.
- Manway, 24" circular One (1)
- Vortex Breaker, plate w/ screen
- Hydrant Fill, 2.5" w/ swivel swing spout
- Sight Gauge(s), two (2); front and rear mounted w/ shut-offs.
- Ladder, one (1) rear mounted w/ handrails.
- Fenders, two (2) bonnet style single axle.
- Walkway, non-skid top of tank.
- Light Kit, D.O.T. L.E.D.
- Conspicuity tape, D.O.T.
- Mud flaps, rear mounted.
- Paint, tank to be WHITE to match cab.
- Pump, water 750 gpm rated.
- PTO, hot Shift
- Controls, PTO Cab mounted.
- Driveline, 1000 series PTO shaft
- Pump plumbing
- All plumbing components welded with groove couplers.
- Distribution manifold.
- Front Sprayers, two (2) with adjustable fan heads.
- Rear Sprayers, two (2) with adjustable fan heads.
- Side spray left hand side, duck bill with manual up/down operation
- Discharge, 1.5" ball valve driver's side.
- Control Switches, cab mounted.
- Push Block, storage area with lid
- Bumper, rear per D.O.T.
- Paint, frame and plumbing components BLACK.
- Low point drains installed in all plumbing.
- **Manhole Lid - NONE (Available as option upon request)**
- **Rear Dump- NONE. (Available as option upon request)**
- **Monitor/Water Cannon - NONE. (Available as option upon request)**
- **RH Side Spray – None. (Available as option upon request)**
- **Hose Reel - NONE; provisional bracket only. (Available as option upon request)**
- **Suction Loading System w/ suction hoses and hose storage- NONE. (Available as option upon request)**
- **Back-up Camera - NONE. (Available as option upon request)**
- **Beacon(s) - NONE. (Available as option upon request)**
- **Tow Hitch - NONE. (Available as option upon request)**
- **Tool Cabinet on side of frame - NONE. (Available as option upon request)**

STOCK # M41742  
2000 GL Carbon Steel Dust Control Truck (4x2)

Warranty, unit shall be free from defects in material and workmanship for a period of ONE (1) year.