

MODEL # DUMPTRUCK2



P.O.BOX 100
CERES, CA 95307
www.west-mark.com

PHONE: (209) 537-4747
TOLL FREE: (800) 692-5844
FAX: (209) 537-1753

GENERAL

The following equipment shall be a new West-Mark Dump Truck.

INTENDED AREA OF OPERATION: Specify _____.
INTENDED USE: Highway and Unimproved roads.

CHASSIS

New Freightliner model M2 106 conventional cab, 2-door chassis:

BRAKES: Air type
DRIVE: 4 X 2
GVWR: 33,000 lbs
Front Axle: 12,000 lbs Capacity
Rear Axle: 21,000 lbs Capacity, Spring Suspension
Engine: Cummins ISL 300 HP and 860 lb/ft torque
Transmission: Eaton® Fuller® 10-Speed FRO-14210C manual

- Cab color to be White
- Battery disconnect switch
- Maintenance free batteries
- Remote mounted positive & negative posts for jumpstart
- Vertical tailpipe mounted at RH side
- Coolant rated to -34F
- Engine block heater
- Quick disconnect fitting with tire inflation kit.
- Front tow hooks, eye(s), or pin (application varies based GVWR)
- LH and RH grab handles
- Air horn
- Electric horn(s)
- Daytime running lights
- LH and RH convex mirrors mounted under primary mirrors
- Heater, defroster, and air conditioner
- One (1) each 12V power supply in dash
- Speedometer/Odometer capable of displaying in both miles and kilometer, with trip and hour meter.
- Adjustable tilt and telescoping steering column
- Back-up alarm
- AM/FM/WB radio with Bluetooth and Auxiliary inputs
- Fuel capacity 50 gallons
- Cab suspension - Air Ride
- Air driver and fixed passenger seats
- **Center console - None.(May be available as option upon request; based on model configuration.)**
- Heated mirrors (flat and convex)
- Heated fuel/water separator
- Mud and snow tires on rear axle(s)
- Steel wheels
- **Tire inflation system on rear drive axle(s) - None (Available as option upon request.)**

MODEL # DUMPTRUCK2

- Towing extended/roadside service warranty, 1 year/unlimited miles/km, \$550 cap (U.S. Domestic only)
- One (1) each chassis parts and service manuals in Paper format; may be shipped to final destination within approximately 45 days after unit is delivered if manuals are not available at time unit is shipped (CONUS, HI & AK destinations only; all other locations shipped with unit).

DUMP BODY:

- 10 Yard Semi-Elliptical Dump Body, approximately 15 feet long, made from AR400 with a dump angle of approximately 45 degrees.

- Heavy Duty sides
- Air-Latch, tail gate with vertical braces.
- Front Wall, Heavy Duty
- **Poly Side Boards, NONE. (Available as option upon request).**
- Front Mount Hoist, telescopic with dog house.
- Hydraulic Cylinder, w/ greaseable pins.
- Sub frame, w/ heavy duty cross members.
- Fenders, full length.
- Cab guard.
- Spreader apron (AR400 material).

- **Tarp- NONE. (Available as option upon request)**

- Hinges, rear heavy duty with greasable and removable pins.

- PTO, w/ direct mount heavy duty hydraulic pump.
- Controls, between seats for easy access.
- Hydraulic Reservoir, w/ shut-off valves, oil filter and vented cap.
- Mud flaps, black rubber.
- Safety Prop, body up.
- Indicator Light, body up .
- Lighting, L.E.D. per D.O.T.
- Reflectors, per D.O.T.
- Conspicuity Striping, per D.O.T.
- **Beacon(s)- NONE. (Available as option upon request)**
- **Load/work light(s)- NONE. (Available as option upon request)**
- Paint, body sandblasted, primer coated and painted to match cab with urethane paint.
- **Snow Plow - NONE. (Available as option upon request)**
- SALT/SAND SPREADER, NONE.
- CENTRAL HYDRAULIC SYSTEM, NONE.

MISC.

- One (1) operation and maintenance manual(s) in paper format and one (1) on CD ROM complete with:
 - Operator & Maintenance Manual
 - Calibration Chart (if Applicable)
 - Equipment Parts List
 - Misc. Vendor Literature / Manuals

- **RFID Tag- NONE. (Available as option upon request)**

- Vehicle Data Plate(GSA): None.
- Testing and QC, internal final Inspection performed prior to, and in preparation of an Inspection.
- Vehicle shall be road tested

Any and all Brand Name parts mentioned in specifications above are subject to substitution of an equal part that is of a different brand. Other substitutions may also be made if said substitution does not affect the intended function of the

MODEL # DUMPTRUCK2

vehicle's mission and is equivalent or an upgrade as determined by West-Mark. All specified dimensions are nominal and may vary slightly.

Warranty, unit shall be free from defects in material and workmanship for a period of ONE (1) year.

F.O.B.:

West-Mark (CAGE: 880W5)

581 Industry Way

Atwater, CA 95301. (F.O.B. destination available as option upon request.)

INSPECTION AND ACCEPTANCE:

West-Mark (CAGE: 880W5)

581 Industry Way

Atwater, CA 95301